

WG-788 DEXCUT®

WG-788 Dexcute® is a single nitrile coated glove, in a 13-gauge HPPE, mineral fibre and spandex liner providing high cut resistance (ISO 13997 grade D), while offering unrivalled flexibility and unparalleled comfort. WG-788 Dexcute® is made from Tsunooga™ high performance polyethylene fibres to provide superior cut resistance, while maintaining excellent flexibility and comfort. WG-788 also benefits from our Wonder Grip Performance™ coating offering heat resistance (EN407:2004 XIXXXX) and a strong grip. WG-788 is touch screen and smart phone compatible for better working conditions.



KEY FEATURES

- ✓ Soft flexible liner, engineered with Tsunooga® Japanese yarn to offer cut level A4/D protection
- ✓ Excellent tactile sensitivity with superior comfort, thus surpassing industry standards
- ✓ Reinforced thumb crotch for increased protection and extended use-life
- ✓ IT-compatible with touch screen functionality for improved working conditions.

TYPE OF PROTECTION

- Cut-resistance
- Heat resistance

APPLICATIONS

- Automotive
- Assembly
- Glass
- Metallurgy
- Warehousing-packing-and-logistics

NORMS AND CERTIFICATIONS

EN 388



EN407



INFORMATIONS

• Support	UHMWPE : Tsunooga™, HPPE, Polyester, Mineral fiber, Spandex
• Coating	Nitrile, Palm coated
• Gauge	13
• Size	7, 8, 9, 10, 11
• Packaging	12 pairs / polybag, 144 pairs / box

TECHNOLOGY



Tsunooga®



TOUCH SCREEN