



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1107/162/07/11/0379

To the following model of personal protective equipment :


- * protective glove against mechanical risks, thermal risks.
- * reference of the model : ABY-5T
- * responsible for placing on the market :

**For confidential reasons
we have blocked this
information,**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon on July 26th, 2011

Issued by Lionel GAUDILLERE



4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France

Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : ABY-5T

Basic Model

Dated : JULY 2011

HEAT RESISTANT GLOVE, ABY-5T

Available sizes :

11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Yellow	para-aramid,cotton, wool		
	Yellow	para-aramid	13*7	
	Grey	wool,polyester		
BACK	Yellow	para-aramid,cotton		
LINING	beige	cotton, polyester		
CUFF	Yellow	para-aramid,cotton		
	beige	cotton, polyester		
BINDING				



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 407:2004 - Protective gloves against thermal risks
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

This product is a category III (lethal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60343-11		
Azo	D110301120		
EN 388	SH60343-11		
EN 407	01027-11		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	5	4	4

The levels of performance have been measured on the palm

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	4	4	4	x	x




3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: ABY-5T
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * information pictogram

Marking example:



**For confidential reasons
we have blocked this
information,**

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	ABY-5T
Technical file index	:	01
Last update	:	JULY 2011

IDENTIFICATION

Reference of the product : : ABY-5T
Technical file index : : 01
Last update : : JULY 2011

CE Type Examination Applicant :

**For confidential reasons
we have blocked this
information,**

Manufacturer :

**For confidential reasons
we have blocked this
information,**

GLOVE DESCRIPTION

Glove description :

HEAT RESISTANT GLOVE,ABY-5T

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
325	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	YK01	Yellow	para-aramid, cotton, wool	650g/m2		
	IIH-03	Yellow	para-aramid	600g/m2	13*7	
	IL-05 (interlayer)	Grey	wool, polyester	250g/m2		
BACK	YQ01	Yellow	para-aramid, cotton	1100g/m2		
LINING	PJ03	beige	cotton, polyester	420g/m2		
CUFF	YQ01	Yellow	para-aramid, cotton	1100g/m2		
	PJ03	beige	cotton, polyester	420g/m2		
BINDING						

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks, thermal risks.

It is a category III product, procedure 11A.

Notified Body Reference : C.T.C.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 0

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

Directive 2002/61/CE :

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	4

Thermal hazard EN 407 : 2004

Protection offered	Performance levels
Burning behaviour	4
Contact heat	4
Convective heat	4
Radiant heat	4
Small splashes of molten metal	x
Large quantities of molten metal	x

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60343-11		D110301120
Azo	D110301120		
EN 388	SH60343-11		
EN 407	01027-11		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : ABY-5T

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

printing on back

Packaging :

plastic packing

MEANS OF CONTROL

According to the certificate of ISO9001

**For confidential reasons
we have blocked this
information,**

ISO 9001: 2008

Approval is hereby granted for registration providing the certification rules and conditions are observed at all times. This certification has been accredited by a member of International Accreditation Forum (IAF) for Quality Management System. The certificate is not valid until the annual hologram is presented.

Certification Scope:
Production and Sales of Needle-punched Felt, High-temperature-resistant Gloves and Cut-resistant Gloves.

Certificate No.: 110904042

Issue Date: May 13, 2009

Expiry Date: May 12, 2012



Moody International Certification Ltd.

www.moodyint.com

The use of the Accredited Mark denotes accreditation in respect of those activities covered by the International Certificate 014. The certificate denotes the scope of Moody International Certification Limited to which it must be referred on request.