

EU TYPE-EXAMINATION CERTIFICATE

No **CE 0851180912 -00 -00**

According to "Regulation (EU) 2016/425 of the European Parliament and of the Council" of 9th March 2016 on Personal Protective Equipment and repealing Council Directive 89/686/EEC

Centro Tessile Cotoniero e Abbigliamento S.p.A.
P.zza Sant'Anna, 2 - 21052 Busto Arsizio (VA) - Italia

EEC Notified Body N° 0624

- in view of the firm's application submitted on: 25th September 2018;
- in view of the positive results of the Technical File verification submitted by the manufacturer together with the above mentioned request;
- in view of the manufacturer's declaration stated in the Technical File attached to the above mentioned request
- having verified that technical specification of design and manufacture is in compliance with basic requirements specified in annex II of Regulation (EU) 2016/425 and that technical manufacturing documentation is in compliance with above mentioned specifications;
- in view of the positive test results carried out on the basic model representative of production according to paragraph 4 of annex V of Regulation (EU) 2016/425 and to Standards:

**EN 14605:2005+A1:2009, EN ISO 13982-1:2004+A1:2010, EN
13034:2005+A1:2009, EN 14126:2003+AC:2004,
EN 1073-2:2002, EN 1149-5:2008**

Issues to:

BEESWIFT LIMITED
Delta Point, Greets Green Road
West Bromwich, West Midlands, B70 9PL, UK


the EU Type-Examination Certificate concerning the following PPE model:

CHEMICAL PROTECTIVE COVERALL

Code COC40Y

Category: **III** (third)

The model of Personal Protective Equipment is subject to conformity to type assessment according to Section 19 c) of Regulation (EU) 2016/425 (Module C2 or D)



Basic type description

COC40Y

Yellow coverall with elasticated hood, wrists, ankles and waist, elasticated thumb loops, flap over single zipper.

Ultrasonic seams with tapes.

Material: Polyethylene laminated+3 layers polypropylene
56% SMS Polypropylene – 44% polyethylene, 90 g/m²



Variations description


No variations

Sizes

S, M, L, XL, XXL, XXXL

Standards

EN ISO 13688:2013	Protective clothing - general requirements
EN 14605:2005 +A1:2009	Protective clothing against liquid chemicals - Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])
EN ISO 13982-1:2004 +A1:2010	Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates
EN 13034:2005+A1:2009	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals
EN 1073-2:2002	Protective clothing against radioactive contamination - Requirement and test methods for non-ventilated protective clothing against particulate radioactive contamination



EN 14126:2003+AC:2004	Protective clothing - Performance requirements and tests methods for protective clothing against infective agents
EN 1149-5:2008	Protective clothing – Electrostatic properties – Part 5 ; Material performance and design requirements
EN 14325:2004	Protective clothing against chemicals - Test methods and performance classification of chemical protective clothing materials, seams, joins and assemblages

Performance levels

EN 14605	Type 3B	protection against liquid tight and infective agents
	Type 4B	protective performance against spray and infective agents
EN ISO 13982-1	Type 5B	protection against airborne solid particulates and infective agents
EN 13034	Type 6B	limited protective performance against light spray, liquid aerosol or low pressure, low volume splashes and infective agents
EN 1073-2	Class 2	Total Inward Leakage
EN 14126	Class 6	Resistance to penetration by contaminated liquids under hydrostatic pressure.
	Class 6	Resistance to penetration by infective agents due to mechanical contact with substances containing contaminated liquids.
	Class 3	Resistance to penetration by contaminated liquid aerosols.
	Class 3	Resistance to penetration by contaminated solid particles

Use

Clothing to be worn to protect against spray, airborne solid particulates, radioactive particulates, infective agents with antistatic properties. Other uses than those listed above are excluded.


Tests

The test results are included in the report: 14RA08871, 14RA08873, 14RA09655, 14RA09657, 15RA02903, 1402719, 1402720.

Marking

The following information are listed on the label inside the garment:

- EC marking
- Company name
- Article code
- Standards
- Standardized pictograms
- Maintenance symbols
- PPE category



Validity

- The validity of this certificate is subject to the validity of the certificate No. CE0784180354-00-00 of which it is the extension. On expiry date it will be responsibility of the Manufacturer to request the renewal.
- The applied standards are the ones currently valid at issue date of this Certificate. The certificate validity is not ensured in case of reviewed standards before the expiry date.
- Any change on model and materials object of this Certificate shall be notified and then approved by Centrocot.

This certificate must be filed by the manufacturer and must be shown, if requested, to the Body that performs controls or to the surveillance authority

Busto Arsizio,

Issue date:
17th December 2018

Expiry date:
20th April 2020



General Manager
Dr. Grazia Cerini